# **SAFETY DATA SHEET**

EET (•) (1) 4

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: E3 WHEEL CLEAN 12X0.400L

Product code: 102998

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Rim cleaner

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: MOTUL

Address: 119, Boulevard Felix Faure. 93300 AUBERVILLIERS CEDEX FRANCE

Telephone: 33.1.48.11.70.00. Fax: 33.1.48.33.28.79. Telex:

Email: motul\_hse@motul.fr

Registered company name (importer): High Performance Lubricants Ltd 21 O'Rorke Road, Penrose, Auckland 1061 PO Box 12 826 Penrose, Auckland, New Zealand 09 571 1366

#### 1.4 24 HOUR EMERGENCY TEPLEPHONE NUMBER: 09 929 1483/0800 446 881 (toll free)

1.5 NATIONAL POISON LINE 0800 764 766

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation 6.4A

## 2.2. Label elements

Detergent mixture (see section 15).

Mixture for spray application.

### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word : WARNING

Additional labeling:

EUH208 Contains METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE. May produce an allergic reaction.

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P262 Do not get in eyes, on skin, or on clothing.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European

CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 34590-94-8		[1]	1 <= x % < 2.5
EC: 252-104-2			
REACH: 01-2119450011-60			
(2-METHOXYMETHYLETHOXY)PROPANOL			
CAS: 69011-36-5	GHS07, GHS05		1 <= x % < 2.5
EC: 931-138-8	Dgr		
REACH: 01-2119552461-55	Acute Tox. 4, H302		
	Eye Dam. 1, H318		
TRIDECETH-9			
CAS: 55965-84-9	GHS06, GHS05, GHS09	[1]	0 <= x % < 1
	Dgr		
METHYLCHLOROISOTHIAZOLINONE,MET	Acute Tox. 1, H300		
HYLISOTHIAZOLINONE	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
	Skin Sens. 1, H317		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 10		

#### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

#### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. Description of first aid measures

#### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

Remove the victim to fresh air. If the symptoms persist, call a physician.

#### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

#### In the event of swallowing:

Seek medical attention, showing the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

## Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

# Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

#### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Avoid contact with eyes.

Use only in well-ventilated areas.

Avoid contact with eyes.

Shake before use

#### Fire prevention :

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smoking.

Vapours may be harmful in case of combustion.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

Ensure good ventilation at the workplace

Keep in original container. Do not pierce of burn, even after usage.

Storage and handling instructions applicable to pressurised gases.

Keep in original container

## Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

Do not breathe fumes, vapour, spray.

Avoid high temperatures

# 7.2. Conditions for safe storage, including any incompatibilities

Store between 5°C and 40°C in a dry, well ventilated place.

Keep from freezing.

Storage life: 24 months.

#### Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1. Control parameters

## Occupational exposure limits:

· · · · · · · · · · · · · · · · · · ·	Jnion (2009/161/EU, 2			\/  E pr	Notoo :	
CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3 :	VLE-ppm :	Notes :	
34590-94-8	308	50	n division I be selected.	Throughold Limit V/-1	Peau	
				Threshold Limit Values		
CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :	
34590-94-8	100 ppm	150 ppm		Skin		
· · · · · · · · · · · · · · · · · · ·	AGW (BAuA - TRGS		-	N		
CAS	VME :	VME :	Excess	Notes		
34590-94-8		50 ppm 310 mg/m3		1()		
- Belgium (O	rder of 19/05/2009, 20	010) :				
CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :	
34590-94-8	50 ppm 308 mg/m3			D		
- Denmark (2						
Stof	TWA	VSTEL	Loftvaerdi	Anm		
34590-94-8	50 ppm			EH		
	300 mg/m3					
- France (INF	RS - ED984 :2012) :	I	<u> </u>			
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes :	TMP No :
34590-94-8	50	308		-	*	84
	P-värden 2009) :	1	1			
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
34590-94-8	50 ppm	-	3-	iho	1 1 1 2 2 1	
-	310 mg/m3					
- Spain (Insti	tuto Nacional de Segi	uridad e Higiene en e	I Trabajo (INSHT). Ma	ayo 2010) :		I
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
34590-94-8	50 ppm		- 5	vía dérmica	1.5	
-	308 mg/m3					
- Ireland (Co	de of practice for the	safety, Health and W	elfare at Work, 2010)	:		1
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
34590-94-8	50 ppm		3	Sk,IOELV		
	308 mg/m3					
- Norway (Ve		rative normer for foru	rensning i arbeidsatm	osfære, May 2007) :		I
	J			· · · · · · · · · · · · · · · · · · ·		
CAS	TWA:	STEL:	Ceilina :	Definition:	Criteria:	
		STEL:	Ceiling:		Criteria :	
34590-94-8	50 ppm	STEL:	Ceiling:	Definition :	Criteria :	
34590-94-8	50 ppm 300 mg/m3		Ceiling:		Criteria:	
34590-94-8	50 ppm		Ceiling :		Criteria :	
34590-94-8 - Netherlands	50 ppm 300 mg/m3 s / MAC-waarde (SEF	R, 4 May 2010) :		Н		
34590-94-8 - Netherlands	50 ppm 300 mg/m3 s / MAC-waarde (SEF TWA: 300 mg/m3	R, 4 May 2010) :		Н		
34590-94-8 - Netherlands CAS 34590-94-8 55965-84-9	50 ppm 300 mg/m3 s / MAC-waarde (SEF TWA: 300 mg/m3 0.05 mg/m3	R, 4 May 2010) :		Н		
34590-94-8  - Netherlands CAS 34590-94-8 55965-84-9 - Poland (20°	50 ppm 300 mg/m3 s / MAC-waarde (SEF TWA: 300 mg/m3 0.05 mg/m3	R, 4 May 2010) : STEL :	Ceiling:	Definition :	Criteria :	
34590-94-8  - Netherlands CAS 34590-94-8 55965-84-9 - Poland (20° CAS	50 ppm 300 mg/m3 s / MAC-waarde (SEF TWA: 300 mg/m3 0.05 mg/m3 14): TWA:	R, 4 May 2010) :  STEL :		Н		
34590-94-8  - Netherlands CAS 34590-94-8 55965-84-9 - Poland (20° CAS 34590-94-8	50 ppm 300 mg/m3 s / MAC-waarde (SEF TWA: 300 mg/m3 0.05 mg/m3 14): TWA: 240 mg/m3	STEL: 480 mg/m3	Ceiling:	Definition :	Criteria :	
34590-94-8  - Netherlands CAS 34590-94-8 55965-84-9 - Poland (20° CAS 34590-94-8 - Czech Repo	50 ppm 300 mg/m3 s / MAC-waarde (SER TWA: 300 mg/m3 0.05 mg/m3 14): TWA: 240 mg/m3 ublic (Regulation No.	STEL: 480 mg/m3 361/2007):	Ceiling :	Definition :	Criteria :	
34590-94-8  - Netherlands CAS 34590-94-8 55965-84-9 - Poland (20° CAS 34590-94-8 - Czech Repi	50 ppm 300 mg/m3 s / MAC-waarde (SER TWA: 300 mg/m3 0.05 mg/m3 14): TWA: 240 mg/m3 ublic (Regulation No. TWA:	STEL:  480 mg/m3 361/2007):  STEL:	Ceiling:	Definition :  Definition :  Definition :	Criteria :	
34590-94-8  - Netherlands CAS 34590-94-8 55965-84-9 - Poland (20° CAS 34590-94-8 - Czech Repi CAS 34590-94-8	50 ppm 300 mg/m3 s / MAC-waarde (SER TWA: 300 mg/m3 0.05 mg/m3 14): TWA: 240 mg/m3 ublic (Regulation No. TWA: 270 mg/m3	STEL: 480 mg/m3 361/2007): STEL: 550 mg/m3	Ceiling :	Definition :	Criteria :	
34590-94-8  - Netherlands CAS 34590-94-8 55965-84-9 - Poland (20° CAS 34590-94-8 - Czech Repi CAS 34590-94-8	50 ppm 300 mg/m3 s / MAC-waarde (SER TWA: 300 mg/m3 0.05 mg/m3 14): TWA: 240 mg/m3 ublic (Regulation No. TWA:	STEL: 480 mg/m3 361/2007): STEL: 550 mg/m3	Ceiling :	Definition :  Definition :  Definition :	Criteria :	

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version 5.1 (19-09-2016) - Page 5/9 E3 WHEEL CLEAN 12X0.400L - 102998 308 mg/m3 - Switzerland (SUVA 2015) : VLE CAS Valeur plafond **Notations VME** 34590-94-8 50 ppm 50 ppm 300 mg/m3 300 mg/m3 - Sweden (AFS 2007:2) : STEL: Ceiling: Definition: Criteria: CAS TWA: 34590-94-8 50 ppm 75 ppm 300 mg/m3 450 mg/m3 - UK / WEL (Workplace exposure limits, EH40/2005, 2007) Criteria: CAS TWA: STEL: Ceiling: Definition: 34590-94-8 50 ppm

#### 8.2. Exposure controls

#### Suitable technical inspections

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

Personnel shall wear regularly laundered overalls.

308 mg/m3

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

When spraying, wear a face shield in accordance with standard EN166.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- Natural latex
- PVA (Polyvinyl alcohol)

Recommended properties:

- Impervious gloves in accordance with standard EN374

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### - Respiratory protection

Breathing apparatus only when aerosol or spray are formed.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

## General information:

Physical state : Fluid liquid.

Important health, safety and environmental information

# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version 5.1 (19-09-2016) - Page 6/9 E3 WHEEL CLEAN 12X0.400L - 102998

pH:	Not relevant.
Boiling point/boiling range :	100 °C.
Flash Point Interval :	60°C < FP <= 93°C
Vapour pressure (50°C) :	Below 110 kPa (1.10 bar).
Density:	= 1
Water solubility:	Dilutable.
Viscosity:	v < 7 mm2/s (40°C)
Self-ignition temperature :	250 °C.
Decomposition point/decomposition range :	250 ℃.

#### 9.2. Other information

No data available.

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

#### 10.5. Incompatible materials

Keep away from:

- strong oxidising agents
- strong acids

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

## 11.1.1. Substances

## Acute toxicity:

METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE (CAS: 55965-84-9)

Inhalation route (Dusts/mist): LC50 = 0.33 mg/l

#### 11.1.2. Mixture

#### Serious damage to eyes/eye irritation :

eye irritation

#### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

## **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1. Toxicity

#### 12.1.1. Substances

METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE (CAS: 55965-84-9)

Fish toxicity : LC50 = 0.19 mg/l

Factor M = 1

Species : Oncorhynchus mykiss Duration of exposure : 96 h

Crustacean toxicity : EC50 = 0.16 mg/l

Factor M = 1

Species : Daphnia magna

E3 WHEEL CLEAN 12X0.400L - 102998

Duration of exposure: 48 h

ECr50 = 0.027 mg/lAlgae toxicity:

Factor M = 10

Species: Scenedesmus capricornutum

Duration of exposure: 72 h

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

#### 12.2.1. Substances

METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE (CAS: 55965-84-9)

Biodegradability: no degradability data is available, the substance is considered as not

degrading quickly.

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

Do not dispose of the product in the natural environment, effluents or surface waters.

#### German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws): Slightly hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

## Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

#### **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

#### - Container information:

No data available.

#### - Particular provisions :

No data available.

## - Labelling for detergents (EC Regulation No. 648/2004,907/2006) :

- less than 5 % : anionic surfactants
- less than 5 % : nonionic surfactants
- perfumes
- preservation agents


methylchloroisothiazolinone, methylisothiazolinone

#### - German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=2 Inflammability=2 Instability/Reactivity=1 Specific Risk=none



## 15.2. Chemical safety assessment

No data available.

## 15.3 This substance is to be managed using the conditions specified in an applicable Group Standard

HSR002530

## **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3:

H300	Fatal if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

# Abbreviations :

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) E3 WHEEL CLEAN 12X0.400L - 102998 Version 5.1 (19-09-2016) - Page 9/9

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.